



NOTES:
 UNLESS OTHERWISE SPECIFIED:
 1. ALL RESISTORS ARE EXPRESSED IN OHMS AND ARE 1/10W, 5%.
 2. ALL CAPACITORS ARE EXPRESSED IN MICROFARADS.
 3. CERAMIC CHIP CAPACITORS LESS THAN 1000P ARE C0G.
 CERAMIC CHIP CAPACITORS BETWEEN 1000P AND .033uF ARE X7R.
 CERAMIC CHIP CAPACITORS BETWEEN .033uF AND .068uF ARE Z5U.
 CERAMIC CHIP CAPACITORS GREATER THAN .068uF ARE Y5U.
 5. SEE SHEETS 3 AND 4 FOR COUNTRY VERSION AND OPTION INFO.



BWR/CD 250443

PCB 193321 REV 03

Sheet 2 of 6



BWR/CD 250443


PCB193321 REV 03


Sheet 3 of 6

C330 AND C331 ARE 0.033uF FOR EURO..
 B04: LOW TO FORCE FM TO MONO, HI FOR NO FORCE.

J301

1	TP350	S-METER
2	TP351	BAT+
3	TP352	PLL-CE
4	TP353	PLL-DATA
5	TP354	BUZZER
6	TP355	AUD-DATA
7	TP356	TURNON
8	TP357	AUD-CLK
9	TP358	CD-SQ
10	TP359	CD-RESET
11	TP360	CD-WRQ
12	TP361	
13	TP362	
14	TP363	
15	TP364	
16	TP365	
17	TP366	
18	TP367	
19	TP368	
20	TP369	
21	TP370	






BWR/CD 250443

PCB 193321 REV 03

Sheet 5 of 6



NOTE: 5.1V ZENER DIODES ARE FOR THE HOTEL VARIANT.

BWR/CD 250443

PCB 193321 REV 03

Sheet 6 of 6